DIGITAL PORCELAIN TILES 600MM x 600MM











OUR COMPANY

Welcome to NAMO where you can find the ingenious sharp vision, global network and powerful backbone. The company carries the vision to be the global ceramic company most admired for its People, Product and Performance. It believes in producing superior quality glazed tiles with a sharp vision on market. It takes a lot of skills to design and manufacturers in a competitive market.

NAMO has installed latest machinery and advance technology. So, now both are quality and service.

The company has huge production capacity which falls in line with high European standard. The company has in-house R&D department, wherein continuous research is done in design nd quality of glazed tiles, In order to provide value for money to our customers.

The company has well-established dealer network throughout the whole country and it has marked its presence in export market countries. The company promise to deliver quality in everything they do, right from raw material purchase to stage wise quality control, to final inspection to every support functions like dispatch and accounting. The company will strive to improve quality by plugging the reasons for mistakes and quality fall, In doing so we well respect the environment and support community upliftment too.

By doing so the company will naturally not just meet but beat the customer's expectations. We will surely be the best admired brand by our actions for the society in every aspect.



INDEX

01	DIGI GLOSSY	FINISH

- 12 SATIN MATT FINISH
- 26 DIGI RUSTIC FINISH
- 28 DIGI SUGAR FINISH
- 40 WOODEN PUNCH FINISH
- 45 WHITE GLOSSY SERIES
- 47 IVORY GLOSSY SERIES
- 48 VITRIFIED SERIES
- 50 GROUP-9 SERIES
- 51 DARK PRINTED SERIES

600x600mm

Digi Porcelain Collection





10001



River Marble



Diana Beige



Eramosa Beige



Macadonia



Botochino Classico



























ified Matt
































10004



10039



Royal Wood Glossy



10038



10040



Ethnic Marble








ified Matt

















Revera Decor



Velis Decor



10042



10043



10045



10047





ed Matt







10009



10013



10036



10037



Namo Satuario



Antisky





ied Matt





Atlantis Gold Stone



Atlantis Sllver Stone



Emprador Brown



Emprador Classic



Ultra White



Ultra Crema












Andrino Choco



10035



Florito Brown



10048





Antic Crema



Galaxy White



Onexy Gold



Onex Silver



10014



10018











Urban Wood



102



103



135



Flevia Square Wood



Rock Square Wood




















5008













Artiz Wood



118



Magic Wood



132





124











Royal Wood



126



Saina Wood



Marbolight Wood



Mountain Wood



128














125





134





Monza Wood







ed Matt





Adriana Wood Natural



Century Strip



Chess Wood



Adriana Wood Black



Timber Wood Beige



5011




































136



Almond Wood

117



Elvis



Amazonia Wood



Square Wood































Liner Wood













Teak Wood Strip



Strip Wood Brown



Classico Half Strip



Panther Half Strip



Fusion Wood Brown



Fusion Wood Natural










Large Brown



Rio Crema Due



Venatto Stone Grey



Alentra Cream



Smoke Light



Smoke Dark





























804

Satin Matt Finish 600x600 mm



1



808



810 811





807











Digital Rustic Finish 600x600 mm



Crystal Gold




Diamond



Crystal Spark



Diamond Black



Crystal Wood



Diamond Red









Hexa



Hexa Grey



Hexa Wood

Digital Rustic Finish 600x600 mm



Robble



Robble Beige



Robble Ivory





























tified Matt







































Matt












































fied Matt
























































































ified Matt










































tified Matt















































































Angel wood Brown



Angel wood wange



Pine Wood Brown



Pine Wood Natural



Pine Wood Wenge



Rover Wood











Rich Wood Brown



Rich Wood Wenge



Rich Wood



Rich Wood Pine



Touch Wood Brown



Wood Land









White Glossy Series 600x600 mm



















White Glossy Series 600x600 mm





1008

Ivory Glossy Series











2004




Ivory Glossy Series 600x600 mm












2006









VITRIFIED SERIES 600x600 mm























3008 3009













GROUP-9 SERIES 600x600 mm

















DARK PRINTED SERIES 600x600 mm







7005





S.P.BLACK





S.P.JAISELMER





TECHNICAL SPECIFICATION



	PORCELAIN TILES 600x600 MM			
CHARACTERISTICS	EUROPEAN STD. EN 1778 11A IS 13755	SPECIFICATIONS	METHOD OF TESTING	
D) PHYSICAL DIMENSIONS				
 Deviation in Length Deviation in Thickness Straightness of Sides Rectangularity Surface Flatness (Warpage) Deviation in Length 	+0.5% Max. +5.0% Max. +0.5% Max. +0.6% Max. +0.5% Max. Minimum 95% of tiles free from defects	+0.5% Max. +4.5% Max. +0.1% Max. +0.25% Max. +0.5% Max. Minimum 99% of tiles free from defects	EN 99, BS 6431 Part 11 IS 13630 PART 2 EN 100, BS 6431 Part 12 IS 13630 PART 6 EN 101, BS 6431 Part 13 IS 13630 PART 13 EN 154, BS 6431 Part 20 IS 13630 PART 2 IS 13630 PART 9	
D) PHYSICAL PROPERTIES				
 Water Absorption (%)(E) Bending Strength (N/sq.mm) Scratch Hardness(mohs)>=3 Resistance to Surface Abrasion Crazing Resistance 	3% <e<6%>22 Average 20 min. Minimum 5 To be Specified by the manufacturer Minimum 2 Cycles</e<6%>	3% <e<6% 250="" 3cycles<="" 5="" above="" class="" cm²="" iii="" kg.="" minimum="" td=""><td>EN 99, BS 6431 Part 10 IS 13630 PART 1 -Same as above -Same as above -Same as above -Same as above -Same as above</td></e<6%>	EN 99, BS 6431 Part 10 IS 13630 PART 1 -Same as above	
D) CHEMICAL PROPERTIES				
Resistance to Staining Resistance To Household Chemical	Minimum Class 2 Minimum Class B	Minimum Class 2 Minimum Class B	EN 122 (3.1) IS 13630 PART 8 EN 122 (3.1) IS 13630 PART 8	
D) THERMAL PROPERTIES				
Thermal Shock Resistance Resistance To Household Chemical	Required Max. 9x10 ⁻⁶ for 100 ⁰ C	Resistance as per STD Max. 9x10 ⁻⁶ for 100 ⁻⁰ C	EN 104, BS 6431 PART 16. IS 13630 PART 5 EN 103, BS 6431 PART 15. IS 13630 PART 4	

Packing Details

Size	Normal Thickness	No. of Tiles/Box	Coverage Area	Wt. of Box
600mmx600mm	9.5 (approx.)	4 Per Box	1.44 Sq. Mtrs.	30 Kgs. Average































Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective Customer are advised to inspect a sample of the tiles before ordering, every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing instruction on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.